

Quality is Behind the Diamond

## SAFETY DATA SHEET

### Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: AVT®

Model Code(s) of Extinguishers: 2V, 4V, 4H, 5V, 5H
Product Use: Fire extinguisher agent
Manufacturer: AMEREX CORPORATION

Address: 7595 Gadsden Highway, P.O. Box 81

Trussville, AL 35173-0081

www.amerex-fire.com

Company Telephone: (205) 655-3271

E-mail Address: customer.service@amerex-fire.com
Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527-3887

Revised: October 29, 2021; Revision B

## Section 2. HAZARDS IDENTIFICATION

#### GHS - Classification

Internet Address:

Health	Environmental	Physical
Acute Toxicity: None	None	None
Skin Corrosion/Irritation: None	None	None
Skin Sensitization: None	None	None
Eye: None	None	None
Carcinogen: None	None	None

GHS – Label Symbol(s): Gas Under Pressure

 $\Diamond$ 

GHS – Signal Word(s): Gas Under Pressure: Warning

### Other Hazards Not Resulting in Classification:

Simple asphyxiant. May displace oxygen and cause rapid suffocation; May cause frostbite in contact with skin or eyes.

Page 1 of 11 Pages

#### **GHS - Hazard Phrases**

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Pressurized container; may burst if heated.
	281	Contains refrigerated gas; may cause cryogenic burns or injury.
Health	H303	May be harmful if swallowed.
	313	May be harmful in contact with skin.
	319	Causes serious eye irritation.
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand.
Prevention	P251	Do not pierce or burn, even after use.
	261	Avoid breathing gas.
	264	Wash hands and face thoroughly after handling
	271	Use only outdoors or in a well-ventilated area.
	280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312	Call a POISON CENTER/doctor if you feel unwell.
	321	Specific treatment (see Section 4. First Aid Measures)
	336	Thaw frosted parts with lukewarm water. Do not rub affected areas.
	362	Take off contaminated clothing.
	304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
		present and easy to do – continue rinsing.
	313+333	May be harmful in contact with skin or if inhaled.
	337+313	If eye irritation persists get medical advice/attention.
Storage	P403+233	Store in a well ventilated place. Keep container tightly closed.
	410+403	*- Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents/container through a licensed disposal company in accordance with
		local/state/national regulations.

<sup>\*-</sup> If under pressure

### Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this mixture is proprietary information.

A more complete disclosure will be provided to a physician or other competent authority in the event of a medical emergency. All components are registered in the Chemical Abstract Service (CAS).

All Sections exhibit information for the chemicals involved

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
1,1,1,2,3,3,3-Heptafluoropropane	207-079-2	NA	431-89-0	65 - 97
Proprietary Product	NA	NA	NA	3 - 35

NOTE: The concentration ranges exhibited above include the actual concentrations of the chemicals in the mixture; however, actual concentrations are withheld as a trade secret.

Adverse Health Effects and Symptoms:

Possible serious irritant to the eyes; mild irritant to the skin. Ingestion, though unlikely, may cause gastrointestinal irritation and edema (fluid retention).

### Section 4. FIRST AID MEASURES

Eye Exposure: Causes serious eye irritation. Irrigate eyes with water

and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur. Liquid or cold gas can cause freezing injury to eyes. Flush eyes with cool water for 15 minutes. Seek

medical attention immediately.

Skin Exposure: Causes skin irritation. In case of contact, wash with

plenty of soap and water. Seek medical attention if

irritation persists.

May cause cold burns or frostbite. Remove

contaminated clothing and flush affected areas with lukewarm (NOT HOT) water. Seek medical attention immediately if blistering of the dermal surface or if

deep tissue freezing occurs

Inhalation: May cause coughing. If respiratory irritation or

distress occurs, remove victim to fresh air. Seek

medical attention if problems persists.

Ingestion: Overdose symptoms may include thirst, nausea, and

severe diarrhea and vomiting. If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim

on side with head lower than waist.

Medical Conditions Possibly

Aggravated by Exposure: None

# Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Not flammable Flash Point: Not determined

Suitable Extinguishing Media: Non-combustible. Cool fire-exposed cylinders until

flames are extinguished. Damaged cylinders should

be handled only by specialists.

Hazardous Combustion Products: Carbon oxides (including CO2 and CO).

Explosion Data:

Sensitivity to Mechanical Impact: Not sensitive Sensitivity to Static Discharge: Not sensitive

Unusual Fire/Explosion Hazards: In a fire this material may decompose, releasing

oxides of carbon, potassium and nitrogen (see

Page 3 of 11 Pages

AVT

Section 10). Cylinders could rupture under heat of

fire.

Protective Equipment and

**Emergency Procedures:** 

Precautions for Firefighters: As in any fire, wear self-contained breathing

apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate personnel to safe areas. Avoid contact with

skin and eyes. Ensure adequate ventilation,

especially in confined areas; monitor oxygen level.

Personal Protective Equipment:

None unless there is a chance of direct contact with

the chemical. Wear self-contained breathing

apparatus when entering area unless atmosphere is proved safe. Wear appropriate PPE for the situation. Handle in accordance with good health and safety

practices.

Methods for Containment: Stop the flow of gas or remove cylinder to outdoor

location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1or call your

closest supplier location.

Methods for Clean Up: Return cylinder to authorized distributor.

Environmental Precautions: Prevent spreading of vapors through sewers,

ventilation systems and confined areas.

Other: If product is contaminated, use PPE and containment

appropriate to the nature of the most toxic

chemical/material in the mixture.

## Section 7. HANDLING AND STORAGE

Personal Precautions: Put on appropriate personal protective equipment

Contains gas under pressure. Do not get in eyes or on skin or clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container.

Close valve after each use and when empty.

Conditions for Safe Storage/Handling: If pressurized – Protect from sunlight and store in a

well-ventilated place. Protect cylinders from physical

Page 4 of 11 Pages

AVT

damage; do not drag, roll, slide, or drop. Use a

suitable hand truck for cylinder movement. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Incompatible Products: Do not mix with other extinguishing agents,

Incompatible with strong oxidizing agents and strong

acids. Do not store in high humidity.

Hazardous Decomposition Products: Carbon and sodium oxides.

Hazardous Polymerization: Will not occur.

## Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
1,1,1,2,3,3,3-Heptafluoropropane	NR	NR	NR	NA
Proprietary Product	NR	NR	NR	NA

NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls: Showers

Eyewash stations Ventilation systems

#### Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.









Eye/Face Protection: Skin and Body Protection: Respiratory Protection: Tightly fitting chemical goggles
Wear protective gloves/coveralls

Positive-pressure supplied air respirators may be required for high airborne concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for

Page 6 of 11 Pages

respiratory protection is not likely for short-term use in

well ventilated areas.

Hygiene Measures: Good personal hygiene practice is essential, such as

avoiding food, tobacco products, or other hand-tomouth contact when handling. Wash thoroughly after

handling.

## Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White gas Molecular Weight: 162.2

Odor: Light, etherial

Odor Threshold:

Decomposition Temperature °C:

Freezing Point °C:

Initial Boiling Point °C:

No information available

Approximately 125

No information available

Physical State: Gas

pH: No information available

Flash Point <sup>o</sup>C: None Auto-ignition Temperature <sup>o</sup>C: None

Boiling Point/Range <sup>o</sup>C: No information available Melting Point/Range <sup>o</sup>C: No information available

Flammability: Not Flammable

Flammability Limits in Air <sup>o</sup>C: Upper – Not Flammable; Lower-Not Flammable

Explosive Properties: None Oxidizing Properties: None

Volatile Component (%vol)

Evaporation Rate:

Density:

Vapor Pressure:

Specific gravity at 25 C:

Not Applicable

Not Applicable

1.53 g/cc (at 20°C)

400 kPa (at 20°C)

Not Applicable

Solubility (in water):

Partition Coefficient: octanol/water

No information available

No information available

## Section 10. STABILITY AND REACTIVITY

Reactivity: This material may be reactive with certain agents

under certain conditions - see the remaining headings

in this section.

Chemical Stability: Stable under recommended storage and handling

conditions.

Page 7 of 11 Pages

**AVT** 

Incompatibles: Light and/or alkaline metals, alkaline earth metals,

powdered metals, oxidizing agents. Avoid contact

with oxidizing agents and strong acids.

Conditions to Avoid:

Hazardous Decomposition Products:

Heat and storage or handling near incompatibles. Gaseous hydrogen fluoride (HF), fluorophosgene

Carbon, nitrogen, and potassium oxides. Heat of fire may release carbon monoxide. The release of other

hazardous decomposition products is possible.

Possibility of Hazardous Reactions:

Strong oxidizers, alkali metals and alkaline earth

metals may cause fires or explosions.

Hazardous Polymerization

Does not occur

## Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, skin, and eye contact.

Symptoms:

Immediate:

Inhalation: Coughing.

Eyes: Irritation, and freezing gas may cause burns or

frostbite.

Skin: Irritation, and freezing gas may cause burns or

frostbite.

Delayed: Symptoms appear to be relatively immediate

Acute Toxicity: Non-toxic.

**Chronic Toxicity:** 

Short-term Exposure: None known. Long-term Exposure: None known.

Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
1,1,1,2,3,3,3-Heptafluoropropane	800,000 ppm (Rat/4h)	Not available	Not available
With Proprietary Product	< 3500 mg/kg (rat)	>1800 mg/kg (rabbilt)	Not available

Reproductive Toxicity: This product's ingredients are not known to have

reproductive or teratogenic effects.

Target Organs and Effects (TOST): Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the

product causes sensitization.

Page 8 of 11 Pages

AVT

### **Other Toxicity Categories**

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
1,1,1,2,3,3,3-Heptafluoropropane	None	None	None	None	None	None
Proprietary Product	None	None	None	None	None	None

## Section 12. ECOLOGICAL INFORMATION

Ecotoxicity: Low risk.

Persistence/Degradability: Degrades slowly

Probability of Rapid Biodegradation: Low Anaerobic Biodegradation Probability: Rapid Bioaccummulation: Low Bioconcentration Factor: Low Mobility in Soil (Log Koc-MCI Method) Slow

Water Solubility: Information not available

Atmospheric Oxidation Half-Life:

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values – Environment – Research

Chemical Name	Acute (LC50)	Chronic (EC50)
1,1,1,2,3,3,3-Heptafluoropropane	>100 mg/L 96h Brachydanio rerio (zebra fish)	>114 mg/L 72h Pseudokirchneriella
With Proprietary Product	>100 mg/L 48h Daphnia magna	subcapitata

Aquatic Toxicity Values – Environment – Estimates

Chemical Name	Acute (LC50)	EC50
1,1,1,2,3,3,3-Heptafluoropropane	N/A	N/A
With Proprietary Products		

### Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Use appropriate PPE when handling, and wash. Waste Disposal Considerations

Dispose in accordance with federal, state, and local

regulations.

Dispose in accordance with federal, state, and local Contaminated Packaging

regulations.

#### NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Page 9 of 11 Pages

## Section 14. TRANSPORT INFORMATION

UN Number: 3296

UN Proper Shipping Name: HEPTAFLUOROPROPANE

Transport Hazard Class: 2
Packing Group: NA
Marine Pollutant?: NO

See current applicable transport regulations (DOT - Ground, IATA – Air, IMDG – Maritime) prior to shipping.

#### NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations. This transportation information covers the AVT fire extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems.

## Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. UN Class 2.2, Non-Flammable Gas, when shipping via air. Packing Group – N/A

### Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	WHIMS	Yes
Australia	AICS	Listed or Exempt
Europe	EINECS/ELINCS	Not Classified

#### **REACH Title VII Restrictions**: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
1,1,1,2,3,3,3- Heptafluoropropane With Proprietary Product	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Page 10 of 11 Pages

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
1,1,1,2,3,3,3- Heptafluoropropane With Proprietary Product	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

## **European Risk and Safety phrases:**

EU Classification:	XN	Irritant
R Phrases:	20	Harmful by inhalation
	36/38	Irritating to eyes and skin
	44	Risk of explosion if heated under confinement
S Phrases:	9	Keep in a well-ventilated place.
	24/25	Avoid contact with skin and eyes.
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
	38	In case of insufficient ventilation wear suitable respiratory equipment.
	45	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

## U.S. Federal Regulatory Information:

### **SARA 313**:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

## SARA 311/312 Hazard Categories:

Acute Health Hazard
Chronic Health Hazard
No
Fire Hazard
No
Sudden Release of Pressure Hazard-\*
Yes
Reactive Hazard
No

Page 12 of 11 Pages

\* - Only applicable if material is in a pressurized extinguisher.

### Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

### **U.S. State Regulatory Information:**

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: None

Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None Massachusetts – Substance List: None

Minnesota – List of Hazardous Substances: None

**Missouri** – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

**Pennsylvania** – Hazardous Substance List: None **Rhode Island** – Hazardous Substance List: None

Texas - Hazardous Substance List: None

**West Virginia** – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

### Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format. No modifications of this SDS are authorized by AMEREX Corporation. Questions or comments should be directed to AMEREX Corporation (See Section 1).

Issuing Date 31-May-2019

Revision Date 29-October-2021; Revision B

Revision Notes None

The information herein is given in good faith but no warranty, expressed or implied, is

Page 13 of 11 Pages

made.