

Quality is Behind the Diamond

SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CH 530/660 KP Wet Agent

Other Identifiers: Class K liquid agent for extinguishers

Product Code(s): CH530/CH660

Model Code(s) for Fire Extinguishers: 260, 262

Recommended Uses: Class K Extinguishant Manufacturer: AMEREX CORPORATION

Internet Address: <u>www.amerex-fire.com</u>

Address: 7595 Gadsden Highway, P.O. Box 81

Trussville, AL 35173-0081

Company Telephone: (205) 655-3271

E-mail Address: customer.service@amerex-fire.com

Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527–3887 March 7, 2019

Section 2. HAZARDS IDENTIFICATION

GHS - Classification

Revised:

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Cat. 3	None	None
Skin Sensitization: NO	None	None
Eye: Cat. 2B	None	None
Carcinogen: Category None	None	None

GHS – Label Symbol(s): If Pressurized: Gas Under Pressure

GHS – Signal Word(s): Warning

Other Hazards Not Resulting in Classification: None

Page 1 of 11 Pages
CH530/660 KP WET AGENT
SDS Part Number 26926

GHS - Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	H229	*- Contents under pressure; may explode if heated.
Health	H303	May be harmful if swallowed.
	316	Causes mild skin irritation.
	320	Causes eye irritation.
	335	May cause respiratory irritation.
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P251	Do not pierce or burn, even after use.
	264	Wash exposed skin thoroughly after handling.
	270	Do not eat, drink or smoke when using this product.
	280	Wear protective gloves/protective clothing/eye protection/face protection.
Response	P321	Specific treatment (see Section 4. First Aid Measures)
	362	Take off contaminated clothing.
	391	Collect spillage.
	301+312	IF SWALLOWED: Call a doctor if you feel unwell
	302+352	IF ON SKIN: Wash with plenty of water.
	304+340	IF INHALED, remove person to fresh air and keep comfortable for breathing.
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
		present and easy to do - continue rinsing.
	332+313	If skin irritation occurs: Get medical advice/attention.
	337+313	If eye irritation persist get medical advice/attention.
	342+311	If experiencing respiratory symptoms: Call a doctor.
Storage	P410+403	*- Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should
		be disposed of as unused product.

^{*-} If under pressure

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Water	NA	NA	7732-18-5	40-60
Potassium acetate	204-822-2	NA	127-08-2	40-60
Potassium citrate	212-755-5	NA	866-84-2	<8

Emergency overview:

Adverse health effects and symptoms:

Clear to opaque liquid solution.

This product is an irritant to the respiratory system, eyes, and skin. Symptoms may include coughing, sore throat, difficulty breathing, eye pain, and skin redness and irritation. Ingestion, although unlikely, may cause cramps, nausea and diarrhea.

Section 4. FIRST AID MEASURES

Eye Exposure:

May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation persists.

Page 2 of 11 Pages CH530/660 KP WET AGENT SDS Part Number 26926 Skin Exposure: May cause skin irritation. In case of contact, wash

with plenty of soap and water. Seek medical attention

if irritation persists.

Inhalation: May cause irritation, along with coughing. May cause

dizziness or drowsiness. If respiratory irritation or distress occurs, remove victim to fresh air. Seek

medical attention if irritation persists.

Ingestion: Overdose symptoms may include gastrointestinal

complaints or change in urine output. If victim is conscious and alert, rinse out mouth and give 1-2 glasses of water or milk to drink. Do not induce vomiting. Consult medical service if feel unwell. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower

than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, or bronchitis. Skin contact may aggravate existing skin

disease.

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties: Not flammable Flash Point: Not determined

Suitable Extinguishing Media: Non-combustible. Use extinguishing media suitable

for surrounding conditions.

Hazardous Combustion Products: Carbon, acetic acid fumes, and sulfur oxides

Explosion Data:

Sensitivity to Mechanical Impact: Not sensitive Sensitivity to Static Discharge: Not sensitive

Unusual fire/explosion hazards: In a fire this material may decompose, releasing

oxides of carbon and potassium. (see Section 10).

Protective Equipment and

Precautions for Firefighters: As in any fire, wear self-contained breathing

apparatus pressure-demand. NIOSH (approved or

equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing.

Personal Protective Equipment: During minor spill clean-up: Minimum – chemical

goggles, nitrile gloves, and an air purifying respirator.

Emergency Procedures: Large spills (one container or more) should be

addressed by hazardous materials technicians who follow a specific emergency response plan and who

are trained in the appropriate use of PPE.

Methods for Containment: Prevent further leakage or spillage if safe to

do so. Use sorbent socks for containment

Methods for Clean Up: Clean up released material using sorbent materials.

Bag and drum for disposal; properly label containers;

dispose as required by local, state, and federal

regulations. Decontaminate with detergent and water.

Environmental Precautions: Prevent material from entering waterways.

Other: If product is contaminated, use PPE and containment

appropriate to the nature of the most toxic

chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions: Use appropriate PPE when handling or maintaining

equipment, and wash thoroughly after handling (see

Section 8).

Conditions for Safe Storage/Handling: Keep product in original container or extinguisher in a

cool area. Use in well ventilated area. Prevent falling. Do not allow near heat sources. Contents may be under pressure – inspect extinguisher consistent with

product labeling to ensure container integrity.

Incompatible Products: Do not mix with other extinguishing agents, strong

acids, strong oxidants.

Hazardous Decomposition Products:

Carbon dioxide, phosphorous oxide, acetic acid.

Hazardous Polymerization: Will not occur

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

1	Chemical Name	Chemical Name OSHA PEL ACGIH TLV		DFG MAK *	EU BLV
	Water	NR	NR	NR	NR
	Potassium acetate	NR	NR	NR	NR
	Potassium citrate	NR	NR	NR	NR

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers

Eyewash stations Ventilation systems

<u>Personal Protective Equipment – PPE Code E:</u>

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.









Eye/Face Protection: Skin and Body Protection:

Respiratory Protection:

Tightly fitting safety goggles

Wear nitrile or similar gloves, and coveralls or long

sleeve shirt.

If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use N100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-to-

mouth contact when handling. Wash thoroughly after

handling.

Hygiene Measures:

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to opaque liquid, water based Molecular Weight: C2H3KO2: 98.14; C6H5O7K3: 306.39

Odor: Odorless

Odor Threshold: No information available

Decomposition Temperature ^oC: 100 - 120

Freezing Point °C:

Initial Boiling Point °C:

No information available Approximately 149

Page 5 of 11 Pages
CH530/660 KP WET AGENT
SDS Part Number 26926

Physical State: Liquid

pH: Approximately 8.5

Flash Point ^oC: None Auto-ignition Temperature ^oC: None

Boiling Point/Range °C: 149/141-155

Melting Point/Range °C: C2H3KO2: 292; K3C6H5O7: 180

Flammability: Not flammable

Flammability/Explosive Limits in Air ^oC: Upper – No; Lower - No

Explosive Properties: None Oxidizing Properties: None

Volatile Component (%vol) Not Applicable

Evaporation Rate:

Vapor Density:

Vapor Pressure:

Specific gravity:

No information available

No information available

Approximately 1.2 at 25 C

Solubility: Soluble in water

Partition Coefficient: No Information Available

Viscosity: Not Applicable

Note: C2H3KO2 – Potassium Acetate; C6H5O7K3 – Potassium Citrate

Section 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage and handling

conditions.

Reactivity: Not reactive

Possibility of Hazardous Reactions: Under normal conditions of storage and handling,

hazardous reactions will not occur.

Incompatibles: Strong acids and oxidizers, lime, inorganic bases.

Avoid contact with aluminum, lead, tin, zinc, or other

alkali sensitive metals or alloys

Conditions to Avoid: Storage or handling near incompatibles.

Hazardous Decomposition Products: Heat of fire may release carbon dioxide, phosphorous

oxide, and acetic acid.

Possibility of Hazardous Reactions: None

Hazardous Polymerization Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, skin, and eye contact.

Symptoms:

Page 6 of 11 Pages
CH530/660 KP WET AGENT
SDS Part Number 26926

Immediate

Inhalation: Irritation, coughing.

Eyes: Mild irritation. Skin: Mild irritation.

Delayed: Symptoms appear to be relatively immediate

Relatively non-toxic. Acute Toxicity:

Chronic Toxicity:

Short-term Exposure: None known. None known Long-term Exposure:

Acute Toxicity Values - Health

Chemical Nar	ne	LD50	
	Oral	Dermal	
Water	NA	NA	NA
Potassium ace	tate 3250 mg/kg (rat)	NA	NA
Potassium citra	ate 176 mg/kg (dog)	NA	NA

Reproductive Toxicity: This product's ingredients are not known to have

reproductive or teratogenic effects.

Respiratory system (mild irritant). Target Organs and Effects (TOST):

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. Ingestion may cause gastrointestinal injury. No information was found indicating the

product causes sensitization.

Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Water	None	None	None	None	None	None
Potassium acetate	None	None	None	None	None	None
Potassium citrate	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

A weak environmental toxin. Specific negative impacts are Ecotoxicity:

unknown.

Persistence/Degradability: Soluble in water; moderate degradation in soil. Rapid

photolytic degradation in air.

Probability of rapid biodegradation: C2H3KO2 Est: 0.792 (Rapid); C6H5O7K3: 0.690 (Rapid) Anaerobic biodegradation probability: C2H3KO2 Est: 0.943 (Rapid); C6H5O7K3: 1.1142 (Rapid)

Bioaccummulation potential: Low.

Bioconcentration factor: C2H3KO2 Est: 3.16 L/kg (wet weight) (Low BCF)

C6H5O7K3 Est: 3.16 L/kg (wet weight) (Low BCF)

Page 7 of 11 Pages CH530/660 KP WET AGENT **SDS Part Number 26926**

Bioaccummulation factor: C2H3KO2 Est: 0.929; C6H5O7K3 Est: 0.893

Mobility in soil: Slow evaporation rate; water soluble, may leach to

groundwater

Log Koc (Kow Method): C2H3KO2 Est: -1.902; C6H5O7K3 Est: -0.411

Log Koa: Not available

Log Kow: C2H3KO2 Est: -3.72; C6H5O7K3 Est -0.28

NOTE: C2H3KO2 – Potassium Acetate; C6H5O7K3 – Potassium Citrate

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values - Environment - Research

<u> </u>		
Chemical Name	Acute (LC50)	Chronic (LC50)
Water	N/A	N/A
Potassium acetate	298 mg/L Fish 96 hr (Pimephales promelas; 313 mg/L Crustaceans 48 hr	N/A
Potassium citrate	Not acutely toxic	Not acutely toxic

Aquatic Toxicity Values – Environment – Calculated Estimates

Chemical Name	Acute (LC50)	EC50
Water	N/A	N/A
Potassium acetate	N/A	4403 mg/L Gr. Algae 96 hr
Potassium citrate	3.14e+06 mg/L Fish 96 hr; 1.27e+05 mg/l Daphnid 48 hr;	2.33e+05 mg/L Gr. Algae 96 hr

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Use appropriate PPE when handling, and wash

thoroughly after handling (see Section 8).

Waste Disposal Considerations Dispose in accordance with federal, state, and local

regulations.

Contaminated Packaging Dispose in accordance with federal, state, and local

regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number: NA UN Proper Shipping Name: NA

Page 8 of 11 Pages
CH530/660 KP WET AGENT
SDS Part Number 26926

Transport Hazard Class:

Packing Group:

Marine Pollutant?:

NA

NO

IATA Not regulated DOT Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations. This transportation information covers the CH 530-660 Wet Agent fire extinguisher agent as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems.

Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

Section 15. REGULATORY INFORMATION

International Inventory Status: All ingredients are on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

REACH Title XVII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Water	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Potassium acetate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Potassium citrate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful	ISHA – Harmful	Toxic Chemical	Toxic Release	Toxic Release
	Substances	Substances	Classification	Inventory (TRI) -	Inventory (TRI) -
	Prohibited for	Requiring	Listing (TCCL) -	Group I	Group II
	Manufacturing,	Permission	Toxic Chemicals	-	-

	Importing, Transferring, or Supplying				
Water	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Potassium acetate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Potassium citrate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

ΧN

S36/37/39:

FU Classification:

Lo Ciassinoation.	7314	mitant
R Phrases:	36/37/38	Irritating to eyes, respiratory system, and skin.
S Phrases:	22	Do not breath dust.
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	28	After contact with skin, wash immediately with plenty of water.

Wear suitable protective clothing, gloves and eye /face protection.

Irritant

S45: In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible)

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
-Sudden Release of Pressure Hazard-	Yes
Reactive Hazard	No

^{* -} Only applicable if material is in a pressurized extinguisher.

Clean Water/ Clean Air Act:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Page 10 of 11 Pages CH530/660 KP WET AGENT SDS Part Number 26926 Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: None
Illinois – Toxic Substance List: None
Kansas – Section 302/303 List: None
Massachusetts – Substance List: None

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota - List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None **Rhode Island** – Hazardous Substance List: None

Texas – Hazardous Substance List: None

West Virginia – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Mexico – Grade No component listed Canada – WHMIS Hazard Class No component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format. No modifications of this SDS are authorized by AMEREX Corporation. Questions or comments should be directed to AMEREX Corporation (See Section 1).

Issuing Date 17-June-2012

Revision Date 7-March-2019; Revision D

Revision Notes None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by William F. Garvin, CIH.