

Quality is Behind the Diamond

## SAFETY DATA SHEET

### Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Regular Dry Chemical Extinguishant

Other Identifiers: Sodium Bicarbonate, SDC Product Code(s): CH 511, CH512, CH 541

Model Codes for Fire Extinguishers A620,403,408,409,412,447,451,453,457,459,462,468

471,477,482,489,492,496,568,574,582,721,761,782

Recommended Use: Fire suppression of Class B and C fires

Not for human or animal drug use.

Manufacturer: AMEREX CORPORATION

Internet Address: www.amerex-fire.com

Address: 7595 Gadsden Highway, P.O. Box 81

Trussville, AL 35173-0081

Company Telephone: (205) 655-3271

E-mail Address: customer.service@amerex-fire.com

Emergency Contacts: Chemtrec 1(800) 424-9300 or

(703) 527–3887

Revised: August 7, 2023 Revision G

## Section 2. HAZARDS IDENTIFICATION

#### **GHS - Classification**

Hazard Class	Category	Signal Word
Aerosols	Category 3	Warning
Acute Toxicity	Category 5	Warning
Skin Corrosion/Irritation	Category 2	Warning
Sensitization, Skin	None	None
Serious eye damage/eye irritation	Category 2A	Warning
Acute Toxicity, Inhalation	Category 5	Warning
Specific Target Organ Toxicity, Respiratory	Category 3	Warning
Carcinogen	None	None

GHS - Label Symbol(s):



If Pressurized: Gas Under Pressure



GHS – Word(s): Warning

Other Hazards Not Resulting in Classification: Mica may contain small quantities of quartz (crystalline silica). Prolonged exposure to respirable crystalline silica dust at concentrations exceeding the occupational exposure limits may increase the risk of developing a disabling

lung disease known as silicosis. IARC found limited evidence for pulmonary carcinogenicity of crystalline silica in humans. In the case of normal use of this product, exposure to silica should be nil.

The attapulgite clay used in this product has a fiber length of less than 5um; therefore, the clay is not considered to be carcinogenic to animals or humans.

#### **GHS - Hazard Phrases**

GHS Hazard	GHS Code(s)	Code Phrase(s)
Physical	H229	*Pressurized container; may burst if heated.
Health	H303	May be harmful if swallowed.
	315	Causes skin irritation.
	319	Causes serious eye irritation.
	335	May cause respiratory irritation.
Environmental	None	
Precautionary:		
General	P101	If medical advice is needed, have product container or label at hand
Prevention	P210	*Keep away from heat, hot surface, sparks, open flames, and other ignition sources.
	251	*Do not pierce or burn, even after use.
	261	Avoid breathing dust.
	264	Wash hands and face thoroughly after handlingWear protective gloves/protective
	280	clothing/eye protection/face protection.
Response	P319	Get medical help if you feel unwell.
	321	Specific treatment (see Section 4. First Aid Measures).
	340	Remove person to fresh air and keep comfortable for breathing.
	362	Take off contaminated clothing.
	301+317	IF SWALLOWED: Get medical help.
	302+352	IF ON SKIN: wash with plenty of water
	304+317	IF INHALED: Get medical help.
	305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
		present and easy to do – continue rinsing.
	332+317	If skin irritation occurs: Get medical help.
	362+364	Take off contaminated clothing and wash it before reuse.
Storago	403+233	Store in a well-ventilated place. Keep container tightly closed.
Storage	410+403	*Protect from sunlight. Store in well-ventilated place.
Disposal	P501	Dispose of contents through a licensed disposal company. Contaminated container should be disposed as unused product.

<sup>\*-</sup> Fire extinguishers are designed to be used to extinguish fires.

# Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Sodium bicarbonate	205-633-8	Not Available	144-55-8	>92
Attapulgite clay	601-805-5	Not Available	12174-11-7	<5
Sericite Potassium aluminum silicate	310-127-6	Not Available	12001-26-2	<2.5
Silicone oil methyl hydrogen polysiloxane	613-152-3	Not Available	63148-57-2	<0.5

Emergency overview:

Adverse health effects and symptoms:

White fine powder, odorless.

Possibly a mild irritant to the respiratory system and eyes; mild irritant to the skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause gastrointestinal irritation and

edema (fluid retention).

## Section 4. FIRST AID MEASURES

Eye Exposure: Causes serious irritation. Irrigate eyes with water

and repeat until pain free. Seek medical attention if irritation develops, or if vision

changes occur.

Skin Exposure: Causes skin irritation. In case of contact, wash

with plenty of soap and water. Seek medical

attention if irritation persists.

Inhalation: May cause irritation, along with coughing. If

respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if

irritation persists.

Ingestion: Overdose symptoms may include thirst,

nausea, and severe diarrhea and vomiting. If victim is conscious and alert, give 2-3 glasses of water to drink. If conscious, do not induce vomiting. Seek immediate medical attention.

Do not leave victim unattended.

To prevent aspiration of swallowed product, lay

victimon side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema, orbronchitis. Skin contact may aggravate existing skin disease. Chronic overexposure may cause pneumoconiosis

("dusty lung" disease).

## Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:

Flash Point:

Not flammable

Not determined

Non-combustible.

Hazardous Combustion Products: Carbon oxides (including CO2 and CO)

**Explosion Data:** 

Sensitivity to Mechanical Impact: Not sensitive Sensitivity to Static Discharge: Not sensitive

Unusual fire/explosion hazards: In a fire this material may decompose, releasing

oxides of carbon, potassium and nitrogen

(see Section 10).

Protective Equipment and

Precautions for Firefighters: As in any fire, wear self-contained breathing

apparatus pressure-demand. NIOSH

(approved or equivalent) and full protective

gear.

## Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes, and clothing.

Ensure adequate ventilation.

Personal Protective Equipment: Minimum - safety glasses, gloves, and a dust

respirator.

Emergency Procedures: NA

Methods for Containment: Prevent further leakage or spillage if

safe to do so.

Methods for Clean Up: Avoid dust formation. Clean up released

material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is

complete.

Other: If product is contaminated, use PPE and

containment appropriate to the nature of the most toxic chemical/material in the mixture.

## Section 7. HANDLING AND STORAGE

Personal Precautions: Use appropriate PPE when handling or

maintaining equipment and wash thoroughly

after handling (see Section 8).

Conditions for Safe Storage/Handling: Keep product in original container or extinguisher.

Prevent falling. Do not allow near heat sources. Contents may be under pressure – inspect extinguisher consistent with product labeling to

ensure container integrity.

Incompatible Products: Do not mix with other extinguishing agents,

Incompatible with strong oxidizing agents and strong acids. Do not store in high humidity.

Hazardous Decomposition Products: Carbon and sodium oxides.

Hazardous Polymerization: Will not occur.

## Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Sodium bicarbonate	PNOC**	PNOC**	PNOC**	NA
	Total dust, 15 mg/m <sup>3</sup>	Total dust, 10 mg/m <sup>3</sup>	Total dust, 4 mg/m <sup>3</sup>	
	Respirable fraction, 5 mg/m <sup>3</sup>	Respirable fraction, 3 mg/m <sup>3</sup>	Respirable fraction, 1.5 mg/m <sup>3</sup>	
Att I. St I.	DNIGO**			NIA
Attapulgite clay	PNOC**	PNOC**	PNOC**	NA
	Total dust, 15 mg/m <sup>3</sup>	Total dust, 10 mg/m <sup>3</sup>	Total dust, 4 mg/m <sup>3</sup>	
	Respirable fraction, 5 mg/m <sup>3</sup>	Respirable fraction,	Respirable fraction,	
		3 mg/m <sup>3</sup>	1.5 mg/m <sup>3</sup>	
Sericite	PNOC**	PNOC**	PNOC**	NA
Potassium aluminum silicate	Total dust, 15 mg/m <sup>3</sup>	Total dust, 15 mg/m <sup>3</sup>	Total dust, 4 mg/m <sup>3</sup>	
	Respirable fraction	Respirable fraction	Respirable fraction,	
	50 ug/m³ Silica	25 ug/m <sup>3</sup> Silica	1.5 mg/m <sup>3</sup>	
Silicone oil methyl hydrogen polysiloxane	NR***	NR***	NR***	NA

<sup>\*</sup>German regulatory limits \*\*PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) \*\*\* NR = Not Regulated. All values are 8 hour time weighted average concentrations.

#### **Engineering Controls:**

Showers Eyewash stations Ventilation systems

## Personal Protective Equipment – PPE Code E:

The need for respiratory protection is not probable during short-term exposure. PPE use during production process must be independently evaluated.









Eye/Face Protection: Skin and Body Protection: Respiratory Protection: Wear tightly fitting chemical goggles.
Wear protective gloves/coveralls.
If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use P100 respirators for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current safety and health

Hygiene Measures:

requirements. The need for respiratory protection is not likely for short-term use in well ventilated areas. Good personal hygiene practice is essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

## Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder, finely divided odorless solid

Molecular Weight: NaHCO3: 84.01

Odor: No information available Odor Threshold: No information available

Decomposition Temperature <sup>o</sup>C: NaHCO3: 50

Freezing Point <sup>o</sup>C: Approximately 50 (decomposes to sodium carbonate)

Initial Boiling Point <sup>o</sup>C: 851

Physical State: Crystalline Powder pH: Approximately 8.3

Flash Point <sup>o</sup>C: None Autoignition Temperature <sup>o</sup>C: None

Boiling Point/Range <sup>o</sup>C: Not Applicable. Will decompose

Melting Point/Range <sup>o</sup>C: Not Applicable Flammability: Not Flammable

Flammability Limits in Air <sup>o</sup>C: Upper – Not Flammable; Lower-Not Flammable

Explosive Properties: None Oxidizing Properties: None

Volatile Component (%vol)

Evaporation Rate:

Vapor Density:

Not Applicable

Not Applicable

Not Applicable

Vapor Pressure: Low; Est: 3.73e-09 mmhg

Specific gravity: NaHCO3: Approximately 1.2 as powder

Solubility: Product is coated – not immediately soluble in water.

Partition Coefficient: No Information Available

Viscosity: Not Applicable

NOTE: NaHCO3 - Sodium bicarbonate

## Section 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage and handling

conditions.

Reactivity: Reacts exothermically with acids to generate carbon

monoxide and carbon dioxide gas. Dangerous reaction with mono-ammonium phosphate and

sodium potassium alloys.

Incompatibles: Avoid contact with oxidizing agents and strong acids.

Contact with mono-ammonium phosphate, especially in the presence of water, may cause pressure to build due to the generation of ammonia and carbon dioxide gas; moisture will accelerate this reaction. Sodium potassium alloy can result in a violent reaction with certain extinguishing agents, such as Sodium

Bicarbonate. Mixtures of Sodium Bicarbonate with 2-furaldehyde can spontaneously ignite when exposed to air. Sodium Bicarbonate is incompatible with

donamina hydrochlorida, nantazanina laetata, aani

dopamine hydrochloride, pentazocine lactate, aspirin

and bismuth salicylate, and many alkali salts.

Conditions to Avoid: Storage or handling near incompatibles.

Hazardous Decomposition Products: Carbon, nitrogen, and potassium oxides. Heat of fire

may release carbon monoxide.

Possibility of Hazardous Reactions: None

Hazardous Polymerization Does not occur

### Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, skin, and eye contact.

Symptoms:

Immediate:

Inhalation: Irritation, coughing.

Eyes: Irritation. Skin: Irritation.

Delayed: Symptoms appear to be relatively immediate

Acute Toxicity: Relatively non-toxic.

Chronic Toxicity:

Short-term Exposure: None known.

Long-term Exposure: As with all dusts, pneumoconiosis, or "dusty lung"

disease, may result from chronic exposure.

**Acute Toxicity Values - Health** 

Chemical Name		LD50	LC50 (Inhalation)
	Oral	Dermal	
Sodium bicarbonate	4220 mg/kg (rat)	>2000 mg/kg (rabbit)	900 mg/m³ (rat)
Attapulgite clay	None	None	None
Sericite Potassium aluminum silicate	None	None	None
Silicone oil methyl hydrogen polysiloxane	None	None	None

Reproductive Toxicity: This product's ingredients are not known to have

reproductive or teratogenic effects.

Target Organs and Effects (TOST): Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the

product causes sensitization.

**Other Toxicity Categories** 

Chemical Name	Germ Cell Mutagenicity	Carcino- genicity	Repro- ductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Sodium bicarbonate	None	None	None	3	None	None
Attapulgite clay	None	None	None	None	Kidney	None
Sericite Potassium aluminum silicate	None	None	None	None	None	None
Silicone oil methyl hydrogen polysiloxane	None	None	None	None	None	None

## Section 12. ECOLOGICAL INFORMATION

Ecotoxicity: Low.

Persistence/Degradability: Soluble in water; NaHCO3: 96 g/l at 20 °C.

Probability of rapid biodegradation: NaHCO3 Est: 0.718 (Rapid)
Anaerobic biodegradation probability: NaHCO3 Est: 0.836 (Rapid)

Bioaccummulation potential: Low.

Bioconcentration factor: NaHCO3 Est: 3.16 L/kg

Mobility in soil: Slow evaporation rate; water soluble, may leach to

groundwater

Log Koc: NaHCO3 Est: -2.06

NOTE: NaHCO3 – Sodium bicarbonate

Other Adverse Ecological Effects: No other known effects at this time

**Aquatic Toxicity Values - Environment** 

Chemical Name	Acute (LC50)	Chronic (LC50)
Sodium bicarbonate	7700 mg/l (rainbow trout)	4100 mg/l (water flea)
Attapulgite clay	N/A	N/A
Sericite Potassium aluminum silicate	N/A	N/A
Silicone oil methyl hydrogen polysiloxane	N/A	N/A

**Aquatic Toxicity Values – Calculated Estimates** 

require region, runde		
Chemical Name	Acute (LC50)	EC50
Sodium bicarbonate	8259 mg/l Fish 96 hr; 3737 mg/l Daphnid 48 hr;	1088 mg/l Gr. Algae 96 hr
Attapulgite clay	N/A	N/A
Sericite Potassium aluminum silicate	N/A	N/A
Silicone oil methyl hydrogen polysiloxane	N/A	N/A

### Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Use appropriate PPE when handling and wash

thoroughly after handling (see Section 8).

Waste Disposal Considerations Dispose in accordance with federal, state, and local

regulations.

Contaminated Packaging Dispose in accordance with federal, state, and local

regulations.

#### NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

## Section 14. TRANSPORT INFORMATION

UN Number:
UN Proper Shipping Name:
NA
Transport Hazard Class:
NA
Packing Group:
NA
Marine Pollutant?:
NO

See current applicable transport regulations (DOT - Ground, IATA – Air, IMDG – Maritime) prior to shipping.

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

## Special Precautions for Shipping:

The transportation information above covers the Regular Dry Chemical extinguisher as shipped in bulk containers and not when contained in fire extinguishers or fire extinguisher systems. If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class/division is LIMITED QUANTITY when pressurized to less than 241 psig and when shipped via highway or rail. UN Class 2.2. Non-Flammable Gas, when shipping via air. Packing Group – N/A

## Section 15. REGULATORY INFORMATION

**International Inventory Status**: All ingredients are on the following inventories

,				
Agency	Status			
TSCA	Yes			
DSL	Yes			
EINECS/ELINCS	Yes			
AICS	Yes			
MITI	Yes			
KECL	Yes			
	Agency TSCA DSL EINECS/ELINCS AICS MITI			

#### **REACH Title VII Restrictions**: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Sodium bicarbonate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Sericite Potassium aluminum silicate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Silicone oil methyl hydrogen polysiloxane	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Sodium bicarbonate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Attapulgite clay	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Sericite Potassium aluminum silicate	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Silicone oil methyl hydrogen polysiloxane	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

## **European Risk and Safety phrases:**

EU Classification: XN Irritant

R Phrases: 20 Harmful by inhalation.

36/37 Irritating to eyes, respiratory system.

S Phrases: 22 Do not breath dust.

24/25 Avoid contact with skin and eyes

In case of contact with eyes, rinse immediately with

plenty of water and seek medical advice.

Wear suitable protective clothing.

#### **U.S. Federal Regulatory Information:**

#### **SARA 313**:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain and chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

## SARA 311/312 Hazard Categories:

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard-*	Yes
Reactive Hazard	No

<sup>\* -</sup> Only applicable if material is in a pressurized extinguisher.

#### Clean Water/Clean Air Acts:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42) or Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) and Section 112 of the Clean Air Act Amendments of 1990.

### **U.S. State Regulatory Information**:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust Illinois – Toxic Substance List: None Kansas – Section 302/303 List: None

Massachusetts – Substance List: Mica Dust Minnesota – List of Hazardous Substances: None

**Missouri** – Employer Information/Toxic Substance List: None **New Jersey** – Right to Know Hazardous Substance List: None

North Dakota - List of Hazardous Chemicals, Reportable Quantities: None

**Pennsylvania** – Hazardous Substance List: None **Rhode Island** – Hazardous Substance List: Mica Dust

Texas - Hazardous Substance List: None

**West Virginia** – Hazardous Substance List: None **Wisconsin** – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

### Other:

Mexico – Grade No component listed Canada – WHMIS Hazard Class No component listed

## Section 16. OTHER INFORMATION

This information sheet complies with the requirements of US, UK, Canadian, Australian and European regulations or standards, and conforms to the proposed format, ANSI Z400.1, 2003. No modification of this safety data sheet is permitted by AMEREX Corporation. Questions or comments should be directed to AMEREX Corporation (see section 1).

Issuing Date 17-June-2012

Revision Date 7-August-2023; Revision G

Revision Notes None

The information herein is given in good faith but no warranty, expressed or implied, is made. Updated by Cason Tyree.

Page 12 of 12 Pages

REGULAR DRY CHEMICAL EXTINGUISHANT

SDS Part Number 27012